


Chapter 7: Synchronization Examples

Sheli Sinha Chaudhuri
Professor
ETCE Department


Outline

- Explain the bounded-buffer synchronization problem
- Explain the readers-writers synchronization problem
- Explain and dining-philosophers synchronization problems
- Describe the tools used by Linux and Windows to solve synchronization problems.
- Illustrate how POSIX and Java can be used to solve process synchronization problems




Classical Problems of Synchronization

- Classical problems used to test newly-proposed synchronization schemes
 - Bounded-Buffer Problem
 - Readers and Writers Problem
 - Dining-Philosophers Problem



Bounded-Buffer Problem


- n buffers, each can hold one item
- Semaphore `mutex` initialized to the value 1
- Semaphore `full` initialized to the value 0
- Semaphore `empty` initialized to the value n



Bounded Buffer Problem (Cont.)

- The structure of the producer process

```
while (true) {  
    ...  
    /* produce an item in next_produced */  
    ...  
    wait(empty);  
    wait(mutex);  
  
    ...  
    /* add next produced to the buffer */  
    ...  
    signal(mutex);  
    signal(full);  
}
```




Bounded Buffer Problem (Cont.)

- The structure of the consumer process

```
while (true) {
    wait(full);
    wait(mutex);


    ...
    /* remove an item from buffer to
next_consumed */
    ...
    signal(mutex);
    signal(empty);

    ...
    /* consume the item in next consumed */
    ...
}
```




Readers-Writers Problem

- A data set is shared among a number of concurrent processes
 - **Readers** – only read the data set; they do *not* perform any updates
 - **Writers** – can both read and write
- Problem – allow multiple readers to read at the same time
 - Only one single writer can access the shared data at the same time
- Several variations of how readers and writers are considered – all involve some form of priorities



Readers-Writers Problem (Cont.)


- Shared Data
 - Data set
 - Semaphore `rw_mutex` initialized to 1
 - Semaphore `mutex` initialized to 1
 - Integer `read_count` initialized to 0



Readers-Writers Problem (Cont.)

- The structure of a writer process

```
while (true) {  
    wait(rw_mutex);  
  
    ...  
    /* writing is performed */  
    ...  
    signal(rw_mutex);  
}
```




Readers-Writers Problem (Cont.)

- The structure of a reader process

```
while (true){
    wait(mutex);
    read_count++;
    if (read_count == 1) /* first reader */
        wait(rw_mutex);
        signal(mutex);


    ...
    /* reading is performed */
    ...
    wait(mutex);
    read count--;
    if (read_count == 0) /* last reader */
        signal(rw_mutex);
    signal(mutex);
}
```



Readers-Writers Problem


Variations

- The solution in previous slide can result in a situation where a writer process never writes. It is referred to as the “First reader-writer” problem.
- The “Second reader-writer” problem is a variation the first reader-writer problem that state:
 - Once a writer is ready to write, no “newly arrived reader” is allowed to read.
- Both the first and second may result in starvation. leading to even more variations
- Problem is solved on some systems by kernel providing reader-writer locks




Dining-Philosophers Problem

- N philosophers' sit at a round table with a bowl of rice in the middle.



- They spend their lives alternating thinking and eating.
- They do not interact with their neighbors.
- Occasionally try to pick up 2 chopsticks (one at a time) to eat from bowl
 - Need both to eat, then release both when done
- In the case of 5 philosophers, the shared data
 - Bowl of rice (data set)
 - Semaphore chopstick [5] initialized to 1



Dining-Philosophers Problem Algorithm

- Semaphore Solution
- The structure of Philosopher i :


```
while (true){
    wait (chopstick[i] );
    wait (chopstick[ (i + 1) % 5] );

    /* eat for awhile */

    signal (chopstick[i] );
    signal (chopstick[ (i + 1) % 5] );

    /* think for awhile */
}
```

- What is the problem with this algorithm?




Monitor Solution to Dining Philosophers

```
monitor DiningPhilosophers
{
    enum { THINKING; HUNGRY, EATING) state [5] ;
    condition self [5];

    void pickup (int i) {
        state[i] = HUNGRY;
        test(i);
        if (state[i] != EATING) self[i].wait;
    }


    void putdown (int i) {
        state[i] = THINKING;
        // test left and right neighbors
        test((i + 4) % 5);
        test((i + 1) % 5);
    }
}
```



Solution to Dining Philosophers (Cont.)

```
void test (int i) {
    if ((state[(i + 4) % 5] != EATING) &&
        (state[i] == HUNGRY) &&
        (state[(i + 1) % 5] != EATING) ) {
        state[i] = EATING ;
        self[i].signal () ;
    }
}

initialization_code() {
    for (int i = 0; i < 5; i++)
        state[i] = THINKING;
}
}
```



Solution to Dining Philosophers (Cont.)


- Each philosopher “i” invokes the operations `pickup()` and `putdown()` in the following sequence:

```
DiningPhilosophers.pickup(i) ;
```

```
/** EAT **/
```


```
DiningPhilosophers.putdown(i) ;
```

- No deadlock, but starvation is possible





Kernel Synchronization - Windows

- Uses interrupt masks to protect access to global resources on uniprocessor systems
- Uses **spinlocks** on multiprocessor systems
 - Spinlocking-thread will never be preempted
- Also provides **dispatcher objects** using which threads synchronize based on mutexes, semaphores, events, and timers.
 - **Events**
 - An event acts much like a condition variable
 - Timers notify one or more thread when time expired
 - Dispatcher objects either **signaled-state** (object available) or **non-signaled state** (thread will block)




Kernel Synchronization - Windows

- Mutex dispatcher object



Linux Synchronization

- Linux:
 - Prior to kernel Version 2.6, disables interrupts to implement short critical sections
 - Version 2.6 and later, fully preemptive
- Linux provides:
 - Semaphores
 - Atomic integers
 - Spinlocks
 - Reader-writer versions of both
- On single-CPU system, spinlocks replaced by enabling and disabling kernel preemption




Linux Synchronization

- Atomic variables

atomic_t is the type for atomic integer


- Consider the variables

<i>Atomic Operation</i>	<i>Effect</i>
<code>atomic_set(&counter,5);</code>	<code>counter = 5</code>
<code>atomic_add(10,&counter);</code>	<code>counter = counter + 10</code>
<code>atomic_sub(4,&counter);</code>	<code>counter = counter - 4</code>
<code>atomic_inc(&counter);</code>	<code>counter = counter + 1</code>
<code>value = atomic_read(&counter);</code>	<code>value = 12</code>



POSIX Synchronization

- POSIX API provides
 - mutex locks
 - semaphores
 - condition variable
- Widely used on UNIX, Linux, and macOS



POSIX Mutex Locks

- Creating and initializing the lock

```
#include <pthread.h>

pthread_mutex_t mutex;


/* create and initialize the mutex lock */
pthread_mutex_init(&mutex, NULL);

/* acquire the mutex lock */
pthread_mutex_lock(&mutex);

/* critical section */


/* release the mutex lock */
pthread_mutex_unlock(&mutex);
```

- Acquiring and releasing the lock



POSIX Semaphores

- POSIX provides two versions – **named** and **unnamed**.
- Named semaphores can be used by unrelated processes, unnamed cannot.



POSIX Named Semaphores

- Creating an initializing the semaphore:

```
#include <semaphore.h>
sem_t *sem;


/* Create the semaphore and initialize it to 1 */
sem = sem_open("SEM", O_CREAT, 0666, 1);

/* acquire the semaphore */
sem_wait(sem);

/* critical section */

/* release the semaphore */
sem_post(sem);
```

- Another process can access the semaphore by referring to its name **SEM**.
- Acquiring and releasing the semaphore:



POSIX Unnamed Semaphores

- Creating an initializing the semaphore:

```
#include <semaphore.h>
sem_t sem;


/* Create the semaphore and initialize it to 1 */
sem_init(&sem, 0, 1);

/* acquire the semaphore */
sem_wait(&sem);

/* critical section */

/* release the semaphore */
sem_post(&sem);
```

- Acquiring and releasing the semaphore:




POSIX Condition Variables

- Since POSIX is typically used in C/C++ and these languages do not provide a monitor, POSIX condition variables are associated with a POSIX mutex lock to provide mutual exclusion: Creating and initializing the condition variable:

```
pthread_mutex_t mutex;  
pthread_cond_t cond_var;
```

```
pthread_mutex_init(&mutex, NULL);  
pthread_cond_init(&cond_var, NULL);
```




POSIX Condition Variables

- Thread waiting for the condition $a == b$ to become true:


```
pthread_mutex_lock(&mutex);  
while (a != b)  
    pthread_cond_wait(&cond_var, &mutex);  
  
pthread_mutex_unlock(&mutex);  
  
pthread_mutex_lock(&mutex);  
a = b;  
pthread_cond_signal(&cond_var);  
pthread_mutex_unlock(&mutex);
```

- Thread signaling another thread waiting on the condition variable:




Java Synchronization

- Java provides rich set of synchronization features:
 - Java monitors
 - Reentrant locks
 - Semaphores
 - Condition variables



Java Monitors

- Every Java object has associated with it a single lock.
- If a method is declared as **synchronized**, a calling thread must own the lock for the object.
- If the lock is owned by another thread, the calling thread must wait for the lock until it is released.
- Locks are released when the owning thread exits the **synchronized** method.



Bounded Buffer – Java Synchronization


```
public class BoundedBuffer<E>
{
    private static final int BUFFER_SIZE = 5;

    private int count, in, out;
    private E[] buffer;

    public BoundedBuffer() {
        count = 0;
        in = 0;
        out = 0;
        buffer = (E[]) new Object[BUFFER_SIZE];
    }



    /* Producers call this method */
    public synchronized void insert(E item) {
        /* See Figure 7.11 */
    }

    /* Consumers call this method */
    public synchronized E remove() {
        /* See Figure 7.11 */
    }
}
```





Java Synchronization

- A thread that tries to acquire an unavailable lock is placed in the object's **entry set**:




Java Synchronization

- Similarly, each object also has a **wait set**.
- When a thread calls **wait()**:
 1. It releases the lock for the object
 2. The state of the thread is set to blocked
 3. The thread is placed in the wait set for the object




Java Synchronization

- A thread typically calls `wait()` when it is waiting for a condition to become true.
- How does a thread get notified?
- When a thread calls **`notify()`** :
 1. An arbitrary thread T is selected from the wait set
 2. T is moved from the wait set to the entry set
 3. Set the state of T from blocked to runnable.
- T can now compete for the lock to check if the condition it was waiting for is now true.



Bounded Buffer – Java Synchronization

```
/* Producers call this method */  
public synchronized void insert(E item) {  
    while (count == BUFFER_SIZE) {  
        try {  
            wait();  
        }  
        catch (InterruptedException ie) { }  
    }  
  
    buffer[in] = item;  
    in = (in + 1) % BUFFER_SIZE;  
    count++;  
  
    notify();  
}
```



Bounded Buffer – Java Synchronization


```
/* Consumers call this method */
public synchronized E remove() {
    E item;

    while (count == 0) {
        try {
            wait();
        }
        catch (InterruptedException ie) { }
    }

    item = buffer[out];
    out = (out + 1) % BUFFER_SIZE;
    count--;

    notify();

    return item;
}
```




Java Reentrant Locks

- Similar to mutex locks
- The **finally** clause ensures the lock will be released in case an exception occurs in the **try** block.

```
Lock key = new ReentrantLock();

key.lock();
try {
    /* critical section */
}
finally {
    key.unlock();
}
```



Java Semaphores


- Constructor:

```
Semaphore(int value);
```

- Usage:

```
Semaphore sem = new Semaphore(1);
```

```
try {  
    sem.acquire();  
    /* critical section */  
}  
catch (InterruptedException ie) { }  
finally {  
    sem.release();  
}
```




Java Condition Variables

- Condition variables are associated with an **ReentrantLock**.
- Creating a condition variable using **newCondition()** method of **ReentrantLock**:

```
Lock key = new ReentrantLock();  
Condition condVar = key.newCondition();
```


- A thread waits by calling the **await()** method, and signals by calling the **signal()** method.



Java Condition Variables


- Example:
- Five threads numbered 0 .. 4
- Shared variable **turn** indicating which thread's turn it is.
- Thread calls **doWork ()** when it wishes to do some work. (But it may only do work if it is their turn.
- If not their turn, wait
- If their turn, do some work for awhile
- When completed, notify the thread whose turn is next.
- Necessary data structures:

```
Lock lock = new ReentrantLock();  
Condition[] condVars = new Condition[5];  
  
for (int i = 0; i < 5; i++)  
    condVars[i] = lock.newCondition();
```



Alternative Approaches

- Transactional Memory
- OpenMP
- Functional Programming Languages




Java Condition Variables

```
/* threadNumber is the thread that wishes to do some work */
public void doWork(int threadNumber)
{
    lock.lock();

    try {
        /**
         * If it's not my turn, then wait
         * until I'm signaled.
         */
        if (threadNumber != turn)
            condVars[threadNumber].await();

        /**
         * Do some work for awhile ...
         */

        /**
         * Now signal to the next thread.
         */
        turn = (turn + 1) % 5;
        condVars[turn].signal();
    }
    catch (InterruptedException ie) { }
    finally {
        lock.unlock();
    }
}
```



Transactional Memory

- Consider a function `update()` that must be called atomically. One option is to use mutex locks:


```
void update ()
{
    acquire();

    /* modify shared data */

    release();
}
```

- A **memory transaction** is a sequence of read-write operations to memory that are performed atomically. A transaction can be completed by adding `atomic{S}` which ensure statements in `S` are executed atomically:

```
void update ()
{
    atomic {
        /* modify shared data */
    }
}
```




OpenMP

- OpenMP is a set of compiler directives and API that support parallel programming.


```
void update(int value)
{
    #pragma omp critical
    {
        count += value
    }
}
```

- The code contained within the **#pragma omp critical** directive is treated as a critical section and performed atomically.



Functional Programming Languages

- Functional programming languages offer a different paradigm than procedural languages in that they do not maintain state.
- Variables are treated as immutable and cannot change state once they have been assigned a value.
- There is increasing interest in functional languages such as Erlang and Scala for their approach in handling data races.



End of Chapter 7

